



FortiAP-S 5.4.0 Release Notes

VERSION 5.4.0

FORTINET DOCUMENT LIBRARY

<http://docs.fortinet.com>

FORTINET VIDEO GUIDE

<http://video.fortinet.com>

FORTINET BLOG

<https://blog.fortinet.com>

CUSTOMER SERVICE & SUPPORT

<https://support.fortinet.com>

FORTIGATE COOKBOOK

<http://cookbook.fortinet.com>

FORTINET TRAINING SERVICES

<http://www.fortinet.com/training>

FORTIGUARD CENTER

<http://www.fortiguard.com>

END USER LICENSE AGREEMENT

<http://www.fortinet.com/doc/legal/EULA.pdf>

FEEDBACK

Email: techdocs@fortinet.com




July-22-15

FortiAP-S 5.4.0 Release Notes

20-540-286146-20150722

TABLE OF CONTENTS



- Change Log** **4**
- Introduction** **5**
 - Supported models 5
 - What’s new in FortiAP-S 5.4.0 5
- Product Integration and Support** **6**
 - FortiAP-S 5.4.0 support 6
- Known Issues** **7**

Change Log

Date	Change Description
July 22, 2015	Initial release.

Introduction

This document provides the following information for FortiAP-S version 5.4.0:

- [Supported models](#)
- [What's new in FortiAP-S 5.4.0](#)
- [Product Integration and Support](#)
- [Known Issues](#)

For more information on upgrading your FortiAP device, see the *Deploying Wireless Networks for FortiOS 5.2* guide in the [Fortinet Document Library](#).

Supported models

FortiAP-S version 5.4.0 supports the following models:

Model support

Model	Build
FAP S321C, FAP S323C	0121

What's new in FortiAP-S 5.4.0

The following is a list of new features and enhancements in FortiAP-S version 5.4.0:

- Dedicated to FortiCloud WiFi Controller;
- Support flow-based UTM security per SSID, including AntiVirus, Intrusion Prevention, Block Botnet and Web Filtering.
- Support 3x3 spatial streams and 2 radios: max 600* Mbps on 2.4GHz 802.11n, and max 1300 Mbps on 5 GHz 802.11ac.

*To achieve the max data rate, the WiFi client must support 256-QAM on 2.4GHz 802.11n.

Product Integration and Support

FortiAP-S 5.4.0 support

The following table lists FortiAP-S version 5.4.0 product integration and support information.

FortiAP-S 5.4.0 support

FortiCloud	<ul style="list-style-type: none">• v2.5.0
Web Browsers	<ul style="list-style-type: none">• Microsoft Internet Explorer versions 10 and 11• Mozilla Firefox versions 35• Google Chrome version 40• Safari v7 <p>Other web browsers may function correctly, but are not supported by Fortinet.</p>

Known Issues

The following issues have been identified in version 5.4.0. For inquiries about a particular bug or to report a bug, please contact [Customer Service & Support](#).

Bug ID	Description
276655	In this NPI release, FortiAP-S models have USB Port disabled.



High Performance Network Security



Copyright© 2015 Fortinet, Inc. All rights reserved. Fortinet®, FortiGate®, FortiCare® and FortiGuard®, and certain other marks are registered trademarks of Fortinet, Inc., and other Fortinet names herein may also be registered and/or common law trademarks of Fortinet. All other product or company names may be trademarks of their respective owners. Performance and other metrics contained herein were attained in internal lab tests under ideal conditions, and actual performance and other results may vary. Network variables, different network environments and other conditions may affect performance results. Nothing herein represents any binding commitment by Fortinet, and Fortinet disclaims all warranties, whether express or implied, except to the extent Fortinet enters a binding written contract, signed by Fortinet's General Counsel, with a purchaser that expressly warrants that the identified product will perform according to certain expressly-identified performance metrics and, in such event, only the specific performance metrics expressly identified in such binding written contract shall be binding on Fortinet. For absolute clarity, any such warranty will be limited to performance in the same ideal conditions as in Fortinet's internal lab tests. Fortinet disclaims in full any covenants, representations, and guarantees pursuant hereto, whether express or implied. Fortinet reserves the right to change, modify, transfer, or otherwise revise this publication without notice, and the most current version of the publication shall be applicable.